

Sub-light no cut inkjet transfer paper

SPECIFICATIONS

Printer	Ink	Thickness	Certifications
Inkjet	Sublimation	0.2mm	

APPLICATION INSTRUCTIONS

Applies on	SUGGESTED CUTTING SETTINGS			TRANSFER SETTINGS			
Light-colored T-shirts, aprons, gift bags, mouse pads and other light-colored 80% cotton fiber material.	Blade	Pressure	Speed	Time	Temperature	Pressure	Peel
	No suggest			15s~30s	180°C~190°C	Heavy	Hot

 **Printing setting : Mirrored**

 **Notice :**

 **TRANSFER PROCESS :**

- Place the textile on the lower plate of the transfer press.
- Pre-Press the t-shirt for a few seconds.
- Place the T-shirt on a heat press machine. Lay the mirrored art work or image face down over your chosen T-shirt.
- Put the isolation paper on the image. Press for 15s~30s.
- After transferring, tear off the paper quickly on the platen.


1. After finished the printing, please transfer the image without any delay.
2. This paper is suitable for the transfer of logo, cartoon pictures, text and other simple colors with over 60% chroma.
3. You must use six colors inkjet printer.
4. Be sure to adjust the heat press machine to medium or heavy pressure before transferring.
5. Due to the special paper, there may be some light color could not be transferred or incomplete phenomenon. Each customer's demand is different, please order after testing.
6. Peel: Hot peel (After transferring, tear off the paper quickly on the platen, when the heating time is reached.)
7. Effect: Finished transferring, cover the fabric with oil paper or copy paper and press it for another 12-15 seconds to get better result.

 **NOTE: We highly recommend to perform a test before launching a production**

CARE AND WASHING RECOMMENDATIONS

Washing	Ironing	Tumble dry	Dry cleaning	Storage Shelf Life	Storage Temperature	Storage Conditions	Position
Machine wash and handwash	YES best inside-out	No	No	Up to 1 year	Between 18°C and 26°C	Away from sunlight and dust	Level

- Wait 48 hours after the application before the first wash
- Respect the textile recommendations
- Do not bleach or use aggressive chemical agents

 This document can be subject to variations. Updated versions are available on www.visionsub.com. For further information, please contact our sales office: info@visionsub.com

Shanghai Vision Digital Printing Co.,Ltd
Address
C211 ,Building 100, No.2891, Qilianshan
Nan Rd Pu Tuo District, Shanghai China

Contact
Mobile: +86-18001836806
Hotline: 021-64950449
E-mail: info@visionsub.com

